



Wurtz et al.

[45] **Date of Patent:** Sep. 15, 1998

- | | | | |
|-----------|---------|---------------|----------|
| 2,176,450 | 10/1939 | Barnett | 52/699 X |
| 3,894,368 | 7/1975 | Crofoot | 52/105 |

- Primary Examiner*—Creighton Smith
Attorney, Agent, or Firm—Frank J. Dykas

- [57]
- ABSTRACT**


- A floor joist retainer for use in a concrete foundation formed by pouring concrete into forms which has a floor joist retainer body having an open front side, closed sides and bottom, and open top side, and is sized to receive and support the end of a floor joist. The floor joist retainer is first attached to the interior surface of the interior form for the foundation wall at the desired elevation and the concrete then poured into the form and allowed to cure. When the forms are then removed, the floor joist retainer presents a body sized to receive and support a floor joist at a predetermined elevational level, irrespective of the final elevation of the top surface of the concrete foundation wall.

- [58] **Field of Search** 52/698, 699, 700,
52/701, 702; 249/35

- U.S. PATENT DOCUMENTS

- | | | | |
|-----------|---------|------|--------|
| 1,728,981 | 9/1929 | Ropp | 52/702 |
| 1,785,790 | 12/1930 | Ropp | 52/702 |

8 Claims, 6 Drawing Sheets



TO 3600 MAIL ROOM

FEB 22 2001

RECEIVED

[illegible]




FIG. 1




FIG. 2




FIG. 3

FIG. 4




FIG. 5




FIG. 6